APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	e of filing in State Engineer's Office. AUG 6 7 1985			
Ret	urned to applicant for correction			
	rected application filed			
	AUG 0 7 1985			
	MENER RECOURCES INC			
1 4 7	The applicant MEYER RESOURCES INC.			
	32 Firestone Blvd of Santa Fe Springs City of Town			
	ifornia 90670 , hereby make s application for permission to appropriate the public State and Zip Code No.			
	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-			
tion	; if a copartnership or association, give names of members.)			
1.	The source of the proposed appropriation is <u>Underground</u> Name of stream, lake, spring, underground or other source			
	Name of strong, face, spring, underground of other source			
2.	The amount of water applied for is			
	(a) If stored in reservoir give number of acre-feet			
3.	The water to be used for Mining Milling and Domestic purposes Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.			
4.	Irrigation, power, mining, manufacturing, domestic, or other use. Must jimit to one use. If use is for:			
	(a) Irrigation, state number of acres to be irrigated			
	(b) Stockwater, state number and kinds of animals to be watered			
	(c) Other use (describe fully under "No. 12, Remarks"			
	(d) Power:			
	(1) Horsepower developed			
	(2) Point of return of water to stream			
5	The water is to be diverted from its source at the following point. In the E's Lot 13, of Section Describe as being within a 40-acre subdivision of public			
٠.				
	6, T. 15N., R. 47 E., M.D.B. &M., whence the SE Corner of said survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. Section 6 bears S. 06°28'E., 3083.61 feet distant.			
_				
0.	Place of use Lot 13 of Section 6, T. 15N., R. 47 E., M.D.B. &M., Describe by legal subdivision. If on unsurveyed land, it should be so stated.			
	Lander County, Nevada.			
	. ,			
	~			
٠7	Lice will begin about Lanuary 1st and and about December 31st of each year			
	Use will begin aboutIanuarylstand end about December3lst, of each year. Month and Day Month and Day Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and			
6.				
	specifications of your diversion or storage works.) It is proposed to drill, case and State manner in which water is to be diverted, i.e. diversion structure, ditches and			
	equip an underground well for mining, milling and domestic purposes. flumes, drilled well with pump and motor, etc.			

9. Estimated cost of works \$10,000.00

10.	Estimated time required to construct works. One (1) year If well completed, do	escribe works.	
11.	Estimated time required to complete the application of water to beneficial use	Three (3) years	
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.		
	The intended use of the water will be for minimum	ng and milling	
	purposes (drilling, leaching process, etc.) and		
	purposesAnnual consumptive use is to be appr		
	•	-	
	million gallons.	**************************************	
	pared jm/se js/bc Wallace T. P.O. Box 24	Noda 80040	
Prote	ested		
	APPROVAL OF STATE ENGINEE	TR	
	This is to certify that I have examined the foregoing application, and do hereb		
wat	ount of water herein granted is only a temporary allowance er right obtained under this permit will be dependent upon	n the amount of water	
act for wit val ins acc met Com Sta the	chally placed to beneficial use. It is also understood the chally placed to beneficial use. It is also understood the challed lowering of the static water level. This we challed a two (2) inch opening for measuring depth to water. It we must be installed and maintained to prevent waste. A tetalled and maintained in the discharge pipeline near the parate measurements must be kept of water placed to beneficer must be installed before any use of water begins, or be pletion of Work is filed. This source is located within an te Engineer, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times. This Permit does not extend the permittee the right of idic, private or corporate lands.	the amount of water at this right must allow all shall be equipped the well is flowing, a totalizing meter must be point of diversion and cial use. The totalizing efore the Proof of a area designated by the the right to regulate	
act for wit val ins acc met Com Sta the	cually placed to beneficial use. It is also understood that a reasonable lowering of the static water level. This we had two (2) inch opening for measuring depth to water. It we must be installed and maintained to prevent waste. A totalled and maintained in the discharge pipeline near the parate measurements must be kept of water placed to beneficiar must be installed before any use of water begins, or be pletion of Work is filed. This source is located within ar the Engineer, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times. This Permit does not extend the permittee the right of i	the amount of water at this right must allow all shall be equipped the well is flowing, a totalizing meter must be point of diversion and cial use. The totalizing efore the Proof of a area designated by the che right to regulate ingress and egress on	
act for wit val ins acc met Com Sta the pub	chally placed to beneficial use. It is also understood the chally placed to beneficial use. It is also understood the challed lowering of the static water level. This we challed the company for measuring depth to water. It we must be installed and maintained to prevent waste. A testalled and maintained in the discharge pipeline near the parate measurements must be kept of water placed to beneficer must be installed before any use of water begins, or be pletion of Work is filed. This source is located within an te Engineer, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times. This Permit does not extend the permittee the right of indic, private or corporate lands. NTINUED ON Page 2)	the amount of water at this right must allow all shall be equipped the well is flowing, a totalizing meter must be point of diversion and cial use. The totalizing efore the Proof of a area designated by the che right to regulate ingress and egress on the applied to beneficial use, and	
act for wit val ins accomet Com Sta the pub	chally placed to beneficial use. It is also understood the chally placed to beneficial use. It is also understood the challed lowering of the static water level. This we challed a two (2) inch opening for measuring depth to water. It we must be installed and maintained to prevent waste. A testalled and maintained in the discharge pipeline near the parate measurements must be kept of water placed to benefice the must be installed before any use of water begins, or be appletion of Work is filed. This source is located within an tender, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times. This Permit does not extend the permittee the right of incomplete the component of the water to be appropriated shall be limited to the amount which can be exceed. On Page 2) amount of water to be appropriated shall be limited to the amount which can be exceed.	the amount of water at this right must allow all shall be equipped the well is flowing, a totalizing meter must be coint of diversion and cial use. The totalizing efore the Proof of a area designated by the che right to regulate angress and egress on the applied to beneficial use, and a not to exceed 47.18	
act for wit val ins accomet Comet the pub	carright obtained under this permit will be dependent upon ually placed to beneficial use. It is also understood that a reasonable lowering of the static water level. This we had two (2) inch opening for measuring depth to water. It we must be installed and maintained to prevent waste. A tetalled and maintained in the discharge pipeline near the purate measurements must be kept of water placed to benefic the must be installed before any use of water begins, or be appletion of Work is filed. This source is located within an the Engineer, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times. This Permit does not extend the permittee the right of including private or corporate lands. NTINUED ON Page 2) amount of water to be appropriated shall be limited to the amount which can be exceed. 0.2 cubic feet per second, but allion gallons annually.	the amount of water at this right must allow ell shall be equipped the well is flowing, a totalizing meter must be coint of diversion and cial use. The totalizing efore the Proof of a area designated by the che right to regulate ingress and egress on the applied to beneficial use, and a not to exceed 47.18	
act for wit val ins accomet Comet the pub (CO) The mi	car right obtained under this permit will be dependent upon the control of the static water level. This was a reasonable lowering of the static water level. This was the a two (2) inch opening for measuring depth to water. It was to be installed and maintained to prevent waste. A totalled and maintained in the discharge pipeline near the parate measurements must be kept of water placed to benefic the must be installed before any use of water begins, or be pletion of Work is filed. This source is located within an te Engineer, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times. This Permit does not extend the permittee the right of inclic, private or corporate lands. NOTINUED ON Page 2) amount of water to be appropriated shall be limited to the amount which can be exceed. 0.2 cubic feet per second. But this prosecuted with reasonable diligence and be completed on or before	the amount of water at this right must allow all shall be equipped the well is flowing, a cotalizing meter must be coint of diversion and cial use. The totalizing efore the Proof of a area designated by the che right to regulate angress and egress on the applied to beneficial use, and a not to exceed 47.18 February 6, 1987	
act for wit val ins acc met Com Sta the pub (CO) The mi Worl	carright obtained under this permit will be dependent upon cally placed to beneficial use. It is also understood the carries areasonable lowering of the static water level. This we can a two (2) inch opening for measuring depth to water. It we must be installed and maintained to prevent waste. A testalled and maintained in the discharge pipeline near the parate measurements must be kept of water placed to beneficer must be installed before any use of water begins, or be appletion of Work is filed. This source is located within an tender of the water herein granted at any and all times. This Permit does not extend the permittee the right of inchic, private or corporate lands. NOTINUED ON Page 2) amount of water to be appropriated shall be limited to the amount which can be exceed. O.2 cubic feet per second. But allion gallons annually. It must be prosecuted with reasonable diligence and be completed on or before	the amount of water at this right must allow all shall be equipped the well is flowing, a cotalizing meter must be coint of diversion and cial use. The totalizing efore the Proof of a area designated by the che right to regulate and express and egress on the applied to beneficial use, and the not to exceed 47.18 February 6, 1987 March 6, 1987	
act for wit val ins accomet Comet the pub (CO. The mi. World Proof.	care right obtained under this permit will be dependent upon the content of the static water level. This water a reasonable lowering of the static water level. This water a two (2) inch opening for measuring depth to water. It was to installed and maintained to prevent waste. At the stalled and maintained in the discharge pipeline near the permit must be kept of water placed to benefic the must be installed before any use of water begins, or be appletion of Work is filed. This source is located within at the Engineer, pursuant to NRS 534.030. The State retains the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of inching private or corporate lands. NOTINUED ON Page 2) amount of water to be appropriated shall be limited to the amount which can be exceed. 0.2 cubic feet per second, but the complete on or before. for completion of work shall be filed on or before. ication of water to beneficial use shall be made on or before.	the amount of water at this right must allow ell shall be equipped the well is flowing, a totalizing meter must be coint of diversion and cial use. The totalizing efore the Proof of a area designated by the che right to regulate angress and egress on the applied to beneficial use, and to exceed 47.18 February 6, 1987 March 6, 1987 February 6, 1989	
act for wit val ins accomet Comet the pub (CO. The mi. World Proof.	carright obtained under this permit will be dependent upon cally placed to beneficial use. It is also understood the carries areasonable lowering of the static water level. This we can a two (2) inch opening for measuring depth to water. It we must be installed and maintained to prevent waste. A testalled and maintained in the discharge pipeline near the parate measurements must be kept of water placed to beneficer must be installed before any use of water begins, or be appletion of Work is filed. This source is located within an tender of the water herein granted at any and all times. This Permit does not extend the permittee the right of inchic, private or corporate lands. NOTINUED ON Page 2) amount of water to be appropriated shall be limited to the amount which can be exceed. O.2 cubic feet per second. But allion gallons annually. It must be prosecuted with reasonable diligence and be completed on or before	the amount of water at this right must allow ell shall be equipped the well is flowing, a totalizing meter must be coint of diversion and cial use. The totalizing efore the Proof of a area designated by the che right to regulate angress and egress on the applied to beneficial use, and to exceed 47.18 February 6, 1987 March 6, 1987 February 6, 1989	
act for wit val ins accomet Comet the pub (CO) The mi World Proof	care right obtained under this permit will be dependent upon the content of the static water level. This water a reasonable lowering of the static water level. This water a two (2) inch opening for measuring depth to water. It was to installed and maintained to prevent waste. At the stalled and maintained in the discharge pipeline near the permit must be kept of water placed to benefic the must be installed before any use of water begins, or be appletion of Work is filed. This source is located within at the Engineer, pursuant to NRS 534.030. The State retains the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of inching private or corporate lands. NOTINUED ON Page 2) amount of water to be appropriated shall be limited to the amount which can be exceed. 0.2 cubic feet per second, but the complete on or before. for completion of work shall be filed on or before. ication of water to beneficial use shall be made on or before.	the amount of water at this right must allow all shall be equipped the well is flowing, a cotalizing meter must be coint of diversion and cial use. The totalizing afore the Proof of a area designated by the che right to regulate angress and egress on the applied to beneficial use, and a not to exceed 47.18 February 6, 1987 March 6, 1989 March 6, 1989	
act for wit val ins acc met Com Sta the pub (CO The mi Worl Proof	car right obtained under this permit will be dependent upon chally placed to beneficial use. It is also understood the a reasonable lowering of the static water level. This we had two (2) inch opening for measuring depth to water. It we must be installed and maintained to prevent waste. A tetalled and maintained in the discharge pipeline near the parate measurements must be kept of water placed to beneficier must be installed before any use of water begins, or be pletion of Work is filed. This source is located within at the Engineer, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times. This Permit does not extend the permittee the right of including private or corporate lands. NOTINUED ON Page 2) amount of water to be appropriated shall be limited to the amount which can be exceed. 0.2 cubic feet per second, but the completion of work shall be filed on or before. In the application of water to beneficial use shall be filed on or before. In the application of water to beneficial use shall be filed on or before. In the application of work filed. In testimony whereof, L	the amount of water at this right must allow ell shall be equipped the well is flowing, a cotalizing meter must be coint of diversion and cial use. The totalizing efore the Proof of a area designated by the che right to regulate angress and egress on the applied to beneficial use, and the not to exceed 47.18 February 6, 1987 March 6, 1987 February 6, 1989 March 6, 1989	
act for with values accomment of the comment of the	the right obtained under this permit will be dependent upon the stally placed to beneficial use. It is also understood the a reasonable lowering of the static water level. This we had two (2) inch opening for measuring depth to water. It we must be installed and maintained to prevent waste. At stalled and maintained in the discharge pipeline near the parate measurements must be kept of water placed to benefic the must be installed before any use of water begins, or be appletion of Work is filed. This source is located within at the Engineer, pursuant to NRS 534.030. The State retains the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of inclinity, private or corporate lands. NTINUED ON Page 2) amount of water to be appropriated shall be limited to the amount which can be exceed. 0.2 cubic feet per second, but the completion of work shall be filed on or before. In the application of water to beneficial use shall be filed on or before. In the application of beneficial use shall be filed on or before. In the application of Nevada, have be of beneficial use filed. In the difference of Nevada, have be of beneficial use filed.	the amount of water at this right must allow all shall be equipped the well is flowing, a cotalizing meter must be coint of diversion and cial use. The totalizing efore the Proof of a area designated by the che right to regulate and examples and egress on the applied to beneficial use, and the applied to beneficial use, and the applied to beneficial use, and the seal of the proof of the area designated by the che right to regulate and example applied to beneficial use, and the applied to beneficial use, and the seal of the proof of	
act for with values accomment comments accomment the pub (CO). The mi Work Proof. Appl. Proof. Map. Comp. Proof.	the right obtained under this permit will be dependent upon the bally placed to beneficial use. It is also understood the a reasonable lowering of the static water level. This we had a two (2) inch opening for measuring depth to water. It we must be installed and maintained to prevent waste. A totalled and maintained in the discharge pipeline near the purate measurements must be kept of water placed to beneficial the provided the placed to beneficial use of water begins, or be appletion of Work is filed. This source is located within an attemption of work is filed. This source is located within at use of the water herein granted at any and all times. This Permit does not extend the permittee the right of inlic, private or corporate lands. NATINUED ON Page 2) amount of water to be appropriated shall be limited to the amount which can be conceed. On exceed. On 2 cubic feet per second. Dute the line of the application of work shall be filed on or before. In this permit does not extend the permittee of the application of water to beneficial use shall be filed on or before. In this permit does not before. In this permit does the before any office, this filed on or before. In this permit does the before any office, this filed on the permit does not before. In this permit does not be a permit does	the amount of water at this right must allow ell shall be equipped the well is flowing, a cotalizing meter must be coint of diversion and cial use. The totalizing efore the Proof of a area designated by the che right to regulate angress and egress on the applied to beneficial use, and the not to exceed 47.18 February 6, 1987 March 6, 1987 February 6, 1989 March 6, 1989	
water act for with values accomment to the pub (CO). The mi	the right obtained under this permit will be dependent upon the builty placed to beneficial use. It is also understood the a reasonable lowering of the static water level. This we had a two (2) inch opening for measuring depth to water. It we must be installed and maintained to prevent waste. A stalled and maintained in the discharge pipeline near the purate measurements must be kept of water placed to beneficial use of water begins, or be pletion of Work is filed. This source is located within an tender in the Engineer, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times. This Permit does not extend the permittee the right of inclining private or corporate lands. NATINUED ON Page 2) amount of water to be appropriated shall be limited to the amount which can be exceed. O.2 cubic feet per second, but the limit of the application of work shall be filed on or before. In the application of water to beneficial use shall be filed on or before. In the application of water to beneficial use shall be filed on or before. In the application of water to beneficial use shall be filed on or before. In the application of water to beneficial use shall be filed on or before. In the application of water to beneficial use shall be filed on or before. In the application of water to beneficial use shall be filed on or before. In the application of water to beneficial use shall be filed on or before. State Engineer of Nevada, have be of the beneficial use filed. The provided the prevent water and the static water and the static water. It is a lower than the static water and the static	the amount of water at this right must allow all shall be equipped the well is flowing, a cotalizing meter must be coint of diversion and cial use. The totalizing efore the Proof of a area designated by the che right to regulate and examples and egress on the applied to beneficial use, and the applied to beneficial use, and the applied to beneficial use, and the seal of the proof of the area designated by the che right to regulate and example applied to beneficial use, and the applied to beneficial use, and the seal of the proof of	

(PERMIT TERMS CONTINUED)

The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The second of th

